

LIGHT FIXTURES

BRIGHTEN UP YOUR HOME



JASCO

P R E M I U M



enbrighten®

LIGHTING FOR LIFE




Even Light Distribution




Enbrighten LED fixtures are ultra-bright & energy efficient with superior light diffusion to avoid hotspots and shadows.

Natural True Color



Enbrighten LEDs show true color intensity and vibrance.

Standard LEDs make colors appear washed out and dull.



ENBRIGHTEN PREMIUM LED PLUG-IN LINKABLE LIGHT FIXTURES

- Ideal for designer kitchen, home office or studio
- Evenly diffused light output
- High quality steel housing with 5ft. cord
- Dimmable high/off/low switch
- Fixture thickness: 1"
- Linkable – connect multiple light fixtures
- 18" linking cord
- No bulbs to replace – clean white light
- Energy efficient – longer life
- Convert to direct wire – directly wire to an existing wall switch using the GE Conversion Box *(sold separately)*
- Fully assembled and ready to install with mounting hardware included
- 120 VAC 60Hz
- Energy Star rated
- UL listed

Item Number	Dimensions	Color Temp	Brightness	Linkable
26934 26937 (4Pc Tray)	12" L x 2.25" W x 1" D	3000K	635 Lumens	Up to 20
26935 26938 (4Pc Tray)	18" L x 2.25" W x 1" D	3000K	942 Lumens	Up to 20
26936 26939 (4Pc Tray)	24" L x 2.25" W x 1" D	3000K	1100 Lumens	Up to 20

P R E M I U M




enbrighten®

LIGHTING FOR LIFE




Even Light Distribution

Natural True Color




Enbrighten LED fixtures are ultra-bright & energy efficient with superior light diffusion to avoid hotspots and shadows.



Enbrighten LEDs show true color intensity and vibrance.

Standard LEDs make colors appear washed out and dull.



ENBRIGHTEN PREMIUM LED DIRECT WIRE LIGHT FIXTURES

- Ideal for designer kitchen, home office or studio
- Selectable light temperature — warm white, cool white or daylight
- Fixture thickness: 1"
- Linkable — connect multiple light fixtures
- 18" linking cord
- No bulbs to replace — clean white light
- Energy efficient — longer life
- directly wire to an existing wall switch
- Fully assembled and ready to install with mounting hardware included
- Energy Star rated
- UL listed


Item Number	Dimensions	Color Temp	Brightness
34285 34286 (4Pc Tray)	12" L x 3" W x 1" D	3000K	600 Lumens
34287 34288 (4Pc Tray)	18" L x 3" W x 1" D	3000K	902 Lumens
34289 34290 (4Pc Tray)	24" L x 3" W x 1" D	3000K	1105 Lumens
39783 34292 (4Pc Tray)	36" L x 3" W x 1" D	3000K	1740 Lumens

P R E M I U M




enbrighten®

LIGHTING FOR LIFE




Even Light Distribution

Natural True Color




Enbrighten LED fixtures are ultra-bright & energy efficient with superior light diffusion to avoid hotspots and shadows.



Enbrighten LEDs show true color intensity and vibrance.

Standard LEDs make colors appear washed out and dull.



ENBRIGHTEN PREMIUM LED DIRECT WIRE LIGHT FIXTURES

- Ideal for designer kitchen, home office or studio
- Even light distribution – free of hot spots and shadows
- Natural True Color – 97CRI+
- Enbrighten LEDs show true color intensity and vibrance
- In-wall dimmer compatible
- Fixture thickness: 1"
- Durable steel housing
- 18" linking cord
- No bulbs to replace – clean white light
- Energy efficient – longer life
- directly wire to an existing wall switch
- Fully assembled and ready to install with mounting hardware included
- Energy Star rated
- UL listed

Item Number	Dimensions	Color Temp	Brightness
39823-T1	18" L x 3" W x 1" D	3000K	921 Lumens
39824-T1	24" L x 3" W x 1" D	3000K	1133 Lumens



enbrighten®

LIGHTING FOR LIFE




Even Light Distribution

Natural True Color



Enbrighten LED fixtures are ultra-bright & energy efficient with superior light diffusion to avoid hotspots and shadows.



Enbrighten LEDs show true color intensity and vibrance.

Standard LEDs make colors appear washed out and dull.



ENBRIGHTEN LED PUCK LIGHTS

- Super bright LED light
- Free up outlets by direct wiring this fixture to a wall switch using GE branded Junction box #24772 (pg. 35)
- 654 Lumens
- No bulbs to replace – clean white light
- Energy efficient – longer life
- Linkable – connect multiple light fixtures
- 3000K warm incandescent like light
- 40W brightness equivalent
- UL listed

Item Number	Color Temp	Brightness
31393 (White)	3000K	654 Lumens
31394 (4Pc Tray)		
34540 (Black)	3000K	654 Lumens
34541 (4Pc Tray)		



enbrighten®

Motion-Sensing LED Light

400
LUMENS

40W
BRIGHTNESS
EQUIVALENT

\$100+
LIFETIME ENERGY
SAVINGS*

DIMMABLE

3000K
WARM ATTRACTIVE
LIGHT

MOTION ACTIVATED

Lighting for Life

Never replace
the bulb — ever



Ultra Bright, Ultra Smart.

Automatically comes on
when motion
is detected
after dark or
in low light



Dimmable

Adjust sliding switch to
desired brightness



Plug In Anywhere

Bath
Kitchen
Entry
Living

Bedrooms
Hallway
Garage
Utility



Kitchen



Bathroom



Entryway/Hallway



ENBRIGHTEN PLUG-IN MOTION SENSING LIGHT

- Super bright LED wall light
- Motion Sensing - comes on in dark conditions when motion is detected
- Full range dimming - adjust slider to desired light level
- 400 Lumens
- Attachable diffuser lens for a softer light output
- Elegantly covers entire outlet
- 3000K warm incandescent like light
- 40W brightness equivalent
- UL listed



Item Number	Color Temp	Brightness
13550 (<i>Nickel</i>)	3000K	400 Lumens
25387 (<i>White</i>)	3000K	400 Lumens



DIRECT WIRE



LED LIGHT FIXTURES



PREMIUM LED DIRECT WIRE DIMMABLE LIGHT FIXTURES

- Ideal for designer kitchen, home office or studio
- Full range front phase dimmability when used with compatible in-wall dimmer
- High quality steel housing
- Fixture thickness: 1.33"
- No bulbs to replace – clean white light
- 91 CRI
- 50,000 hours of LED life
- Energy efficient – longer life
- Evenly diffused light output
- Quick connect wiring and convenient mounting system for easy installation
- 120 VAC 60Hz
- Energy Star rated
- UL listed

Item Number	Dimensions	Color Temp	Brightness
26739 26763 (4Pc Tray)	12" L x 3.25" W x 1.33" D	3000K	496 Lumens
26741 26764 (4Pc Tray)	18" L x 3.25" W x 1.33" D	3000K	773 Lumens
26742 26765 (4Pc Tray)	24" L x 3.25" W x 1.33" D	3000K	961 Lumens
29434 29435 (4Pc Tray)	36" L x 3.25" W x 1.33" D	3000K	1348 Lumens
30890 30891 (4Pc Tray)	48" L x 3.25" W x 1.33" D	3000K	1798 Lumens



PLUG-IN



LED LIGHT FIXTURES



PREMIUM LED LINKABLE HI/OFF/LOW PLUG-IN LIGHT FIXTURES

- Ideal for kitchen, home office or studio
- Plastic fixture with 5ft. cord
- High/low light levels
- Fixture thickness: .75"
- Linkable – connect multiple light fixtures
- 18" linking cord
- No bulbs to replace – clean white lights
- 91 CRI
- 50,000 hours of LED life
- Energy efficient – longer life
- Convert to direct wire using GE conversion box (39971) sold separately
- Fully assembled and ready to install with mounting hardware included
- 120 VAC 60Hz
- Energy Star rated
- UL listed

Item Number	Dimensions	Color Temp	Brightness	Linkable
38845-T1 (4Pc Tray)	12" L x 2.625" W x .75" D	3000K	415 Lumens	Up to 30
38846-T1 (4Pc Tray)	18" L x 2.625" W x .75" D	3000K	628 Lumens	Up to 30
38848-T1 (4Pc Tray)	24" L x 2.625" W x .75" D	3000K	803 Lumens	Up to 30
38847-T1 (4Pc Tray)	36" L x 2.625" W x .75" D	3000K	1220 Lumens	Up to 30

P R E M I U M




PLUG-IN OR DIRECT WIRE



Dimmable* from soft white to warm glow

LED LIGHT FIXTURES




PREMIUM LED PLUG-IN, LINKABLE OR DIRECT WIRE, DIM TO WARM, LIGHT FIXTURES

- Can be used as a plug-in or direct-wire fixture – straight out of the box
- Full range front phase dimmability when used with compatible in-wall dimmer
- When paired with a dimmer, light changes from soft white to a warm glow as it dims
- Fully diffused light with no hot spots
- Fixture thickness: .75"
- Linkable – connect multiple light fixtures
- 18" linking cord
- No bulbs to replace – clean white lights
- 50,000 hours of LED life
- Energy efficient – longer life
- Fully assembled and ready to install with mounting hardware included
- 120 VAC 60Hz
- Energy Star rated
- UL listed

Item Number	Dimensions	Color Temp	Brightness	Linkable
38838-T1	12" L x 4.5" W x .75"	Dimmable 3000K–2000K	506 Lumens	Up to 30
38839-T1	18" L x 4.5" W x .75" D	Dimmable 3000K–2000K	786 Lumens	Up to 30
38840-T1	24" L x 4.5" W x .75" D	Dimmable 3000K–2000K	970 Lumens	Up to 30

LED LIGHT FIXTURES



PREMIUM LED MOTION-ACTIVATED LIGHT FIXTURES

- Great for kitchen, home office or studio
- Motion-sensing technology turns fixture on and off with the wave of your hand
- Off/auto/on switch
- Clean white light
- Fixture thickness: 1.562"
- Fully assembled and ready to install
- Mounting hardware included
- 3" detection range
- 120 VAC 60Hz
- Energy Star rated
- UL listed

Item Number	Dimensions	Color Temp	Brightness
27194	18" L x 1.562" W x .875" D	3000K	410 Lumens
14370 (4Pc Tray)			

LED LIGHT FIXTURES

LED




ULTRA-THIN LED LIGHT STRIPS, 2 PACK

- 10" if used as a single light, 20" if both lights are connected together and 38" if linking cord is used
- Great for kitchen, home office, studio or bookshelf
- Clean white light
- Fixture thickness: .25"
- Fully assembled and ready to install
- Mounting hardware included
- 120 VAC 60Hz
- Low voltage
- UL listed

Item Number	Dimensions	Color Temp	Brightness	Linkable
12113	10" L x .5" W x .25" D	3000K	699 Lumens	Up to 2

LED LIGHT FIXTURES



PREMIUM LED MOTION-ACTIVATED AND CCT ADJUSTABLE LIGHT FIXTURES

- Great for kitchen, home office or studio
- Touchless dimming and On/Off
- Three levels of evenly distributed light
- Adjustable light temperatures 3000K, 4000K, 5000K
- Fully assembled and ready to install
- Mounting hardware included
- 3" detection range
- Energy Star rated
- UL listed

Item Number	Dimensions	Color Temp	Brightness
33843 33842 (4Pc Tray)	12" L x 1" W x 2.125" D	3000K	449 Lumens
33845 33844 (4Pc Tray)	18" L x 1" W x 2.125" D	3000K	620 Lumens
33847 33846 (4Pc Tray)	24" L x 1" W x 2.125" D	3000K	820 Lumens



LED HIGH/LOW LIGHT FIXTURE

- Ideal for kitchen, home office, or studio
- 18" fixture; thickness: 1.0"
- High/low light levels
- 344 Lumens
- No bulbs to replace – soft white light, 3000K CCT
- Energy efficient – longer life
- Fully assembled and ready to install with mounting hardware included
- 120 VAC 60Hz
- Energy Star rated
- UL listed

Item Number	Dimensions	Color Temp	Brightness	Linkable
26419 26668 (4Pc Tray)	18" L x 1" W x 1" D	3000K	344 Lumens	Up to 40

BASIC



PLUG-IN



LED LIGHT FIXTURES



ON/OFF LINKABLE LED LIGHT FIXTURES

- Ideal for basic kitchen, home office, or studio
- Plastic fixture with 5ft. cord with Hi/Off/Low switch
- Fixture thickness: 3/4"
- Linkable – connect up to 40 light fixtures
- 18" linking cord
- Energy efficient – longer life
- Convert to direct wire using GE conversion box (*sold separately*)
- Fully assembled and ready to install
- 120 VAC 60Hz
- UL listed

Item Number	Dimensions	Color Temp	Brightness
33194	10" L x 1" W x 1" D	3000K	350 Lumens
33195	16" L x 1" W x 1" D	3000K	521 Lumens
33196	22" L x 1" W x 1" D	3000K	698 Lumens


BASIC



PLUG-IN



LED LIGHT FIXTURES



BASIC ON/OFF LED PLUG-IN LIGHT FIXTURES

- Ideal for basic kitchen, home office or studio
- Plastic fixture with 5ft. cord
- Fixture thickness: .875"
- Clean white light
- Energy efficient – longer life
- Fully assembled and ready to install with mounting hardware included
- 120 VAC 60Hz
- UL listed

Item Number	Dimensions	Color Temp	Brightness
26534	10" L x 1.5" W x .875" D	3000K	275 Lumens
26535	16" L x 1.5" W x .875" D	3000K	384 Lumens
26536	22" L x 1.5" W x .875" D	3000K	432 Lumens



PLUG-IN



LED LIGHT FIXTURES

18"

24"



18" LED PLUG-IN LIGHT FIXTURE

- Ideal for kitchen, home office or studio
- Fixture thickness: .5"
- Soft white light
- No bulbs to replace
- Energy efficient – longer life
- Fully assembled and ready to install with mounting hardware included
- UL listed

Item Number	Dimensions	Color Temp	Brightness
14819 12689 (4Pc Tray)	18" L x 1.3" W x .5" D	3000K	230 Lumens
32812 32813 (4Pc Tray)	24" L x 1.3" W x .5" D	3000K	315 Lumens


P R E M I U M



PLUG-IN



L E D L I G H T F I X T U R E S



High/Off/Low



Select
your white!



Plug-in



Linkable up
to 40 fixtures

PREMIUM LED PLUG-IN LINKABLE CCT ADJUSTABLE LIGHT FIXTURE

- Select your white—soft warm/bright cool/daylight
- High-powered fully diffused LED light source
- High/Off/Low switch
- Fixture thickness: .75"
- Linkable – connect multiple light fixtures
- 18" linking cord
- No bulbs to replace – clean white lights
- 50,000 hours of LED life
- Energy efficient – longer life
- Fully assembled and ready to install with mounting hardware included
- 120 VAC 60Hz
- Energy Star rated
- UL listed



SELECT YOUR WHITE



Item Number	Dimensions	Color Temp	Brightness	Linkable
38939-T1	18" L x 3" W x .75" D	3000K/4000K/5000K	629 Lumens	Up to 40
38940-T1	24" L x 3" W x .75" D	3000K/4000K/5000K	811 Lumens	Up to 40

P R E M I U M



DIRECT WIRE



L E D L I G H T F I X T U R E S



PREMIUM LED DIRECT WIRE DIMMABLE FIXTURE

- Ideal for designer kitchen, home office or studio
- Full-range dimmable
- Fixture thickness: 1.125"
- No bulbs to replace – clean white lights
- 50,000 hours of LED life
- Energy efficient – longer life
- Fully assembled and ready to install with mounting hardware included
- 120 VAC 60Hz
- Energy Star rated
- UL listed




Item Number	Dimensions	Color Temp	Brightness
38978-T1	18" L x 3" W x 1.125" D	3000K	769 Lumens
38979-T1	24" L x 3" W x 1.125" D	3000K	991 Lumens
38981-T1	36" L x 3" W x 1.125" D	3000K	1366 Lumens



DIRECT WIRE



FLUORESCENT LIGHT FIXTURES



PREMIUM FLUORESCENT DIRECT WIRE LIGHT FIXTURES

- Ideal for designer kitchen, home office, or studio
- On/off rocker switch
- Clean white light
- High quality steel housing
- Energy efficient – longer life
- No hum, flicker free, and instant on operation due to electronic ballast system
- Installation hardware included
- 120 VAC 60 Hz
- UL listed

Item Number	Dimensions	Color Temp
16029	13" L x 3.625" W x 1.187" D	3000K
10113	18" L x 3.625" W x 1.25" D	3000K
16687	24" L x 3.25" W x 1" D	3000K
10142	36" L x 3.5" W x 1.125" D	3000K
10143	48" L x 3.5" W x 1.125" D	3000K


A D V A N T A G E



PLUG-IN



FLUORESCENT LIGHT FIXTURES



ADVANTAGE SLIM LINE FLUORESCENT PLUG-IN FIXTURES

- Ideal for kitchen, home office or basement
- Plastic fixture with 5ft. cord and on/off rocker switch
- Fixture thickness: 1"
- Linkable – connect multiple light fixtures
- 18" linking cord
- Energy saving fluorescent light
- No hum, flicker free, and instant on operation due to electronic ballast system
- Fully assembled and ready to install
- Convert to direct wire – directly wire to an existing wall switch using the GE Conversion Box (*sold separately*)
- 120 VAC 60 Hz
- UL listed

Item Number	Dimensions	Color Temp	Linkable
10167	8" L x 1.875" W x 1" D	3000K	Up to 10
10168	14" L x 1.875" W x 1" D	3000K	Up to 10
10169	23" L x 1.875" W x 1" D	3000K	Up to 10
10460	36" L x 1.875" W x 1" D	3000K	Up to 10



DIRECT WIRE



FLUORESCENT LIGHT FIXTURES



ADVANTAGE FLUORESCENT DIRECT WIRE FIXTURES

- Ideal for kitchen, home office, or basement
- Steel fixture with on/off rocker switch
- Fixture thickness: 1.375"
- Clean white light
- Energy saving fluorescent light
- No hum, flicker free, and instant on operation due to electronic ballast system
- Fully assembled and ready to install
- 120 VAC 60 Hz
- UL listed

Item Number	Dimensions	Color Temp
16547	18" L x 4.625" W x 1.375" D	3000K
16690	24" L x 4.125" W x 1.375" D	3000K



PLUG-IN



FLUORESCENT LIGHT FIXTURES



ADVANTAGE FLUORESCENT LIGHT FIXTURE WITH EXTRA OUTLET

- Ideal for kitchen, home office, or basement
- Steel fixture with 5ft. cord and on/off rocker switch
- Extra outlet
- Fixture thickness: 1.375"
- Clean white light
- Energy saving, warm fluorescent light
- No hum, flicker free, and instant on operation due to electronic ballast system
- Fully assembled and ready to install
- 120 VAC 60 Hz
- UL listed

Item Number	Dimensions	Color Temp
16546	18" L x 4.125" W x 1.375" D	3000K



PLUG-IN



FLUORESCENT LIGHT FIXTURES



BASIC FLUORESCENT PLUG-IN LIGHT FIXTURES

- Great for utility room, workshop & garage
- Plastic fixture with 5ft. cord and on/off rocker switch
- Clean white light
- Energy efficient, warm fluorescent light
- No hum, flicker free, and instant on operation due to electronic ballast system
- Fully assembled and ready to install
- 120 VAC 60 Hz
- UL listed

Item Number	Dimensions	Color Temp
16466 (Red Packaging) 10198 (White Packaging)	18" L x 3.75" W x 1.75" D	3000K
10185	22" L x 1.75" W x 2.25" D	3000K



SPECIALTY



LIGHT FIXTURES



10187

PLANT & AQUARIUM FLUORESCENT LIGHT FIXTURE

- 22" L x 1.75" W x 2.25" D
- Makes colorful plants and animals look more vibrant
- Plastic fixture with 5ft. cord and on/off rocker switch
- Fixture thickness: 2.25"
- No hum, flicker free, instant on
- Fully assembled and ready to install
- Energy saving, warm fluorescent light
- 120 VAC 60 Hz



10186

BLACKLIGHT FLUORESCENT LIGHT FIXTURE

- 22" L x 1.75" W x 2.25" D
- Makes stellar effects for posters, parties, and Halloween
- Plastic fixture with 5ft. cord and on/off rocker switch
- Fixture thickness: 2.25"
- Fully assembled and ready to install
- 120 VAC 60 Hz



39971

CONVERSION BOX

- Required for direct wiring GE's linkable fixtures into an existing circuit
- Includes all hardware necessary for direct wiring
- One wiring kit allows you to hardwire multiple fixtures
- Works with both linking systems



EXTENSIONS





LINKING CORDS

- Ideal for kitchen, home office, or studio
- Link up to six fixtures using this linking cord
- Use this item with product #13077, 10112, 10167, 10168, 10169, 12149, 12150, 12151, 34541, 31394

Item Number	Cord Length
32407	12in.
32408	18in.
30566	24in.
30568	36in.
30569	48in.
30570	60in.
30571	120in.

Every Jasco Product is intelligently designed from start to finish.

All products are backed by Jasco's product warranty.

Visit www.jascoproducts.com for details.



Jasco packaging includes at-a-glance feature callouts and full color photography.

Instructions and QR codes are also included on select products.

I N D E X

10113	33	30566	45
10142	33	30568	45
10143	33	30569	45
10167	35	30570	45
10168	35	30571	45
10169	35	31393	9
10185	41	31394 (4Pc Tray)	9
10186	43	32407	45
10187	43	32408	45
10198 (White Packaging)	41	32812	27
10460	35	32813 (4Pc Tray)	27
12113	19	33194	23
12689 (4Pc Tray)	27	33195	23
13550 (Nickel)	11	33196	23
14370 (4Pc Tray)	14	33842 (4Pc Tray)	20
14819	27	33843	20
16029	33	33844 (4Pc Tray)	20
16466 (Red Packaging)	41	33845	20
16546	39	33846 (4Pc Tray)	20
16547	37	33847	20
16687	33	34285	5
16690	37	34286 (4Pc Tray)	5
25387 (White)	11	34287	5
26419	21	34288 (4Pc Tray)	5
26534	25	34289	5
26535	25	34290 (4Pc Tray)	5
26536	25	34292 (4Pc Tray)	5
26668 (4Pc Tray)	21	34540	9
26739	13	34541 (4Pc Tray)	9
26741	13	38845	15
26742	13	38846 (4Pc Tray)	15
26763 (4Pc Tray)	13	38838	17
26764 (4Pc Tray)	13	38839	17
26765 (4Pc Tray)	13	38840	17
26934	3	38848	15
26935	3	38847 (4Pc Tray)	15
26936	3	38939	29
26937 (4Pc Tray)	3	38940	29
26938 (4Pc Tray)	3	38978	31
26939 (4Pc Tray)	3	38979	31
27194	14	38981	31
29434	13	39783	7
29435 (4Pc Tray)	13	39823	7
30890	13	39824	7
30891 (4Pc Tray)	13	39971	43

For more than 100 years, GE has used its global presence and applied new technologies to create and better the consumer products on which we depend.

As an exclusive GE licensee, Jasco Products Company develops, markets and distributes more than 2,000 GE-branded consumer electronic accessories, computer accessories, home electric products and home security/surveillance products. Jasco provides the brand people trust.

The bold, vibrant graphics and easy-to-understand messages on the Jasco/GE packaging enhance the appearance and value of the products at the retail level. Merchandising Jasco/GE products will increase sell through, provide increased margin opportunity, and inspire confidence and brand loyalty with your customers.

Jasco works hard to meet the needs of a culturally diverse marketplace; all Jasco/GE packaging features information and instructions in English, French and Spanish.

JASCO

LEADER • INNOVATOR • TRUSTED PARTNER

10 E. MEMORIAL RD., OKLAHOMA CITY, OK 73114 | T 405.752.0710 | F 405.752.1251 | WWW.BYJASCO.COM

The GE logo is a registered trademark of General Electric Company and is used under license by Jasco Products Company, LLC.

All brand names and products listed/shown are registered trademarks of their respective owners.

Not liable for typographical or pictorial errors.

©2015 JASCO | LH152-6– Jan/18



Licensed
Products