

**Thank you for
your purchase**


EXCLUSIVE DEALS

For deals, to register
your purchase and
to tell us how we're
doing, simply scan
the code or visit
byjasco.com/deals.



EXPLORE MORE TITAN PRODUCTS

Surge protectors, HDMI cables and
more at titangamingtech.com



Like our product?
Leave a review on your
favorite retailer website
or amazon.com.



Having problems?
Let us know how we can
help. Call 1-800-654-8483
between 7AM-8PM, M-F,
Central Time.

DESIGNED IN THE USA

MADE IN CHINA

Titan is a trademark of Jasco Products
Company and is under license by Jasco LLC,
10 E. Memorial Rd., Oklahoma City,
OK 73114.

This Jasco product comes with a limited-
lifetime warranty. Visit www.byjasco.com for
warranty details.

Questions? Contact our U.S.-based
Consumer Care at 1-800-654-8483 between
7AM-8PM, M-F, Central Time.

60045 | 55807 v2 09/21




T I T A N


TITAN

SURGE PROTECTOR

- A. Grounded Outlets
- B. Color-Changing LED
- C. Capacitive Touch Button
- D. Braided Cord



360° PLUG ROTATION



Adjust plug to desired angle, then
insert into wall outlet.

INSTRUCTIONS

- 1 Plug your Titan surge protector into a standard grounding duplex wall receptacle. Ensure there are no exposed conductors.
- 2 Turn off gaming equipment before plugging into the surge protector. Do not use extension cords to connect equipment to the surge protector.
- 3 The surge protector is now powered and protected.
- 4 Gaming equipment can now be turned on.
- 5 Press the capacitive touch button to select one of the many colorful LED light options or set it to cycle through the full spectrum of hues. Hold button for two seconds to turn OFF.



See how it works

Scan code or visit
byjasco.com/60045i

Surge Protector — Limited-lifetime warranty

Jasco Products Company warrants this surge protector to be free of defects in design, assembly, materials and workmanship for the life* of the surge protector. If such a defect should arise during the life of the surge protector, Jasco will, at its option, either repair or replace the surge protector without charge. This warranty does not cover damage caused by accident, misuse or alterations to the surge protector, or natural disasters of any kind.

NOTE: Do not use this product in any way with a generator, heater, sump pump, water-related device, life-support device, medical device, or car, motorcycle or golf cart battery charger. This product is for indoor use in dry areas only. All warranties of this product are null and void if used in any manner mentioned above.

*This surge protector, like all surge protectors, has a finite lifespan. Even under normal circumstances and in the absence of defects, the product's life will expire when the surge protector's component capacity has been exceeded, thereby ceasing to provide protection from surges. In this event, the limited-lifetime warranty is no longer valid, and the surge protector should be replaced.

Warranty replacement procedure

1. Call our U.S.-based Consumer Care at 1-800-654-8483 to get a Return Authorization Number (RA#), shipping instructions and a prepaid return address label.
2. After you have received the prepaid return address label, return the Jasco surge protector, freight prepaid, to Jasco. Surge protectors returned to Jasco must have an RA# included in the mailing address to be accepted.
3. The original purchaser will be asked to send the surge protector, a copy of the sales receipt for the product, his/her name, address, phone number and a description of the problem.

Connected Equipment Warranty

Equipment replacement guarantee for surge model: 55807/60045

Maximum warranty amount: \$200,000 (USD)

Please visit byjasco.com/cew for more information on the Connected Equipment Warranty.

NOTE: This device is not a lightning arrestor. It will not afford protection when lightning strikes nearby power lines, the house, service entrance or antenna. The warranty is void if a power disturbance damages your equipment through the coax, phone or network lines.

WARNING

RISK OF ELECTRIC SHOCK

- DO NOT USE IN WET LOCATIONS
- KEEP CHILDREN AWAY
- USE INDOORS ONLY
- FULLY INSERT PLUG

RISK OF FIRE

- DO NOT EXCEED ELECTRICAL RATINGS

NOT FOR USE WITH

- AQUARIUMS OR OTHER WATER-RELATED PRODUCTS
- GENERATORS AND POWER INVERTERS
- MEDICAL LIFE-SUPPORT PRODUCTS

CAUTION

TO REDUCE THE RISK OF FIRE OR ELECTRIC SHOCK, DO NOT USE THIS DEVICE WITH A RECEPTACLE IN WHICH THE SLOT OPENINGS DO NOT ALIGN WITH THE BLADES. NOT FOR USE WITH GROUND-FAULT CIRCUIT-INTERRUPTER RECEPTACLES OR RECEPTACLES WITH INDICATOR LIGHTS OR CONTROLS.

SPECIFICATIONS:

Electrical Rating	120VAC
Joule Rating	1080
Maximum Amps	15
VPR	500V
Maximum Watts	1875W

